



i 95 17 310



i 95 17 339



i 95 17 407

Emblems			
Description	Comments	Order-No.	
VAUXHALL i LINE Logo	Silver. With carrier for radiator grille.	i 95 17 408	
Irmscher Logo	Vitro.	i 95 17 310¹)	
Irmscher badge	Silver.	i 95 17 339¹)	
Irmscher Logo with silhouette	Silver. With carrier for radiator grille.	i 95 17 407¹)	

¹⁾ irmscher LINE




Contents reflect status at printing (07/01). Print colours are only approximate illustrations of the real colours.

We reserve the right to alter technical design features and equipment. You can get information on further technical details, possible tyre equipment, approvals on the certificate of homologation and other limitations at your friendly Vauxhall dealer. For prices please see our current price list.

Irmscher International GmbH · Günther-Irmscher-Straße 20–22 · 73630 Remshalden-Grunbach · Deutschland · Tel. 07151/971-300 · E-Mail: info@irmscher.de Irmscher Belgium B.V.B.A. · Prins Boudewijnlaan 30 · 2550 Kontich · Belgie· Tel. 03/450.63.85 · E-Mail: info@irmscher.be Irmscher C & S spol. s.r.o. · Černokostelecká 122 · 100 00 Praha 10 · Czech Republic · Tel. 02/71 00 94 41 Irmscher France SARL · 1, Avenue du Marais · 95100 Argenteuil · France · Tel. 01.34.26.31.81 Irmscher Iberia S.A. · Polígono Industrial El Pradillo, parcela 3 · 50.690 Pedrola (Zaragoza) · España · Tel. 976.61.60.31 · E-Mail: ventas@irmscher.es Irmscher Italia S.r.l. · Via Parini, 8 · 35030 Caselle di Selvazzano (Padova) · Italia · Tel. 049/63 15 46 Irmscher Nederland bv · Sterrenbergweg 27 · 3769 BS Soesterberg · Nederland · Tel. 0 346/354737 · E-Mail: info@irmscher.nl Irmscher Otomotiv Ticaret Ltd. Sti. · Kemalpasa Yolu · 35860 Torbali-Izmir · Tel. 0 232 853 14 53 Ilmscher (Suisses) S · Salzhausstrasse 21 · 2501 Biol. Bioman · Schwaig/Cylisses . 176 0 32/ (32153 70)

Irmscher (Suisse) SA · Salzhausstrasse 21 · 2501 Biel-Bienne · Schweiz/Suisse · Tél. 032/3215370
Irmscher (U.K.) Ltd. · Europa Way · Britannia Enterprise Park · Lichfield, Staffs · WS14 9TZ · Great Britain · Tel. 015 43/410990 · E-Mail: info@irmscher.co.uk Salis und Braunstein · Wienerstraße 35 · 8024 Graz · Österreich · Tel. 0316 / 788-0




VAUXHALL IN LINE

VECTRA

INDIVIDUAL ACCESSORIES





FROM MODELLYEAR 99,5.

In a class of its own

Exclusively refined to meet the highest standards.



VAUXHALL i LINE radiator grille insert i 29 01 058 with VAUXHALL i LINE logo.



To guarantee the high demands on product quality and workmanship, the Irmscher group applies a sophisticated quality management system whose efficiency was confirmed with the ratification of the ISO 9001 certificate by DEKRA.






VAUXHALL i LINE rear silencer with split-oval design twin tail pipe.



VAUXHALL i LINE suspension kit – enhanced safety coupled with optimal driving comfort.



side sills (from My. 99.5) i 29 01 319, rear silencer (from My. 99.5) i 29 08 045, light alloy wheels in Spectra Sports Line design.



Dynamic and elegant

With a sporty aura.








Rear lip spoiler i 29 01 427.



Rear silencer i 29 08 045, rear lip spoiler i 29 01 427, side sills i 29 01 319, light alloy wheels in Spectra Line design.



Sport. Experience. Quality.

Fascination and Passion.





Experience from the motorsport: Aerodynamic-Kit i 29 01 042 for front airdam i 29 01 030. Increases top speed up to 3 km/h.



Irmscher LINE radiator grille insert i 29 01 057.



Lower grille insert i 29 01 059.



Striking: front airdam i 29 01 030 with side air inlets.





Irmscher badge i 95 17 339.




Rear spoiler (wing type) i 29 01 424.

A special kind of experience.





Rear silencer i 29 08 045, rear lower skirt (from My. 99,5) i 29 01 452, rear spoiler (wing type) i 29 01 424, side sills i 29 01 319, light alloy wheels in Sport Star design.



THE ACCESSORIES FOR YOUR VECTRA.

Body parts				
Description	Comments	Notchback	Hatchback	Estate
		Order-No.	Order-No.	Order-No.
Front lower spoiler	Up to My. 99,5.	i 29 01 003 ¹⁾	i 29 01 003 ¹⁾	i 29 01 003 ¹⁾
Front lower spoiler	From My. 99,5. Not for 2,6 I Y26SE and diesel 2,2 I Y22DTR.	i 29 01 004	i 29 01 004	i 29 01 004
Front airdam	Up to My. 99,5. With integrated radiator grille and DE-fog lamps.	i 29 01 001	i 29 01 001	i 29 01 001
Front airdam	Up to My. 99,5. With integrated DE-fog lamps. Lower grille insert i 29 01 052 must be ordered separately.	i 29 01 011 ¹⁾	i 29 01 011 ¹⁾	i 29 01 011 ¹⁾
Front airdam	From My. 99,5. With integrated DE-fog lamps. Not diesel 2,2 I Y22DTR. Lower grille insert i 29 01 059 must be ordered separately.	i 29 01 030	i 29 01 030	i 29 01 030
Aerodynamic-kit	Set (left/right). For front airdam i 29 01 030.	i 29 01 042 ¹⁾	i 29 01 042 ¹⁾	i 29 01 042 ¹⁾
Lower radiator grille insert	Up to My. 99,5. For front airdam i 29 01 011.	i 29 01 052 ¹⁾	i 29 01 052 ¹⁾	i 29 01 052 ¹⁾
Lower radiator grille insert	Up to My. 99,5. Fits on standard airdam.	i 29 01 055	i 29 01 055	i 29 01 055
Lower radiator grille insert	From My. 99,5. For front airdam i 29 01 030.	i 29 01 059 ¹⁾	i 29 01 059 ¹⁾	i 29 01 059¹)
Upper radiator grille insert	Up to My. 99,5. With Irmscher Logo. For standard grille frame.	i 29 01 056 ¹⁾	i 29 01 056 ¹⁾	i 29 01 056 ¹⁾
Radiator grille insert	With Irmscher Logo. Not for vehicles with Diesel engines.	i 29 01 057¹)	i 29 01 057¹)	i 29 01 057¹)
Radiator grille insert	With Vauxhall and VAUXHALL i LINE Logos. Not for vehicles with Diesel engines.	i 29 01 058	i 29 01 058	i 29 01 058
Side sills	Set. Up to My. 99,5.	i 29 01 311	i 29 01 311	i 29 01 311
Side sills	Set. From My. 99,5.	i 29 01 319	i 29 01 319	i 29 01 319
Side repeaters	Set. white.	i 29 12 003	i 29 12 003	i 29 12 003
Fuel cap cover		i 95 17 592	i 95 17 592	i 95 17 592
Rear lower skirt	Up to My. 99,5. Mounting on standard bumper.	i 29 01 451 ²⁾¹⁾	i 29 01 451 ²⁾¹⁾	_
Rear lower skirt	From My. 99,5. Mounting on standard bumper.	i 29 01 452 ²⁾¹⁾	i 29 01 452 ²⁾¹⁾	-
Rear lip spoiler	Up to My. 99,5. With integrated 3 rd brake light, red.	i 29 01 411	i 29 01 412	_
Rear lip spoiler	Up to My. 99,5. With integrated 3 rd brake light, white.	i 29 01 431	i 29 01 432	_
Rear lip spoiler	From My. 99,5.	i 29 01 427	i 29 01 422	-
Rear spoiler (wing type)	Up to My. 99,5. With integrated 3 rd brake light, red.	i 29 01 406 ¹⁾	i 29 01 405 ¹⁾	_
Rear spoiler (wing type)	Up to My. 99,5. With integrated 3 rd brake light, white.	i 29 01 426 ¹⁾	i 29 01 425 ¹⁾	-
Rear spoiler (wing type)	From My. 99,5.	i 29 01 428 ¹⁾	i 29 01 424 ¹⁾	
Roof spoiler		_	_	i 29 01 404
Gas pressure springs	Reinforced gas pressure springs for hatchback in connection with rear lip spoiler i 29 01 411 and i 29 01 431 if necessary.	i 29 01 415	-	_
Cover foil	To cover up the standard 3 rd brake light when fitting rear spoiler wing type/rear lip spoiler i 29 01 405/406/411/412.	i 95 17 215	i 95 17 215	-

Description	Comments	Order-No.
Rear silencer	Up to My. 99,5. Twin tail pipe, chromated. Oval design. With EC-type approval for 4-cylinders 16V and V6 models.	i 29 08 041 ²⁾
Rear silencer	Up to My. 99,5. Twin tail pipe, chromated. Oval design. With EC-type approval for 4-cylinders models (not 16V).	i 29 08 043 ²⁾
Rear silencer	From My. 99,5. Twin tail pipe, chromated. Oval design. With EC-type approval for 4-cylinders 16V and V6 models.	i 29 08 045 ²⁾

Suspension				
Description	Comments	Notchback	Hatchback	Estate
		Order-No.	Order-No.	Order-No.
Complete suspension	Up to 30 mm* lower.	i 29 03 035 ³⁾⁴⁾	i 29 03 035 ³⁾⁴⁾	i 29 03 037 ³⁾⁴⁾
Complete suspension	Up to 30 mm* lower.	i 29 03 033 ⁵⁾⁴⁾	i 29 03 033 ⁵⁾⁴⁾	i 29 03 039 ⁵⁾⁴⁾
Complete suspension	Up to 30 mm* lower.	i 29 03 031 ⁶⁾⁴⁾	i 29 03 0316)4)	i 29 03 0416)4)

- * Depending on fittings and equipment of the vehicle.
- VAUXHALL i LINE suspension parts are only authorized in connection with towing equipment if the latter one possesses a sufficient towball height. (minimum towball height 350 mm in middle of the ball of the vehicle loaded with its authorized total weight.)

- ² Extension not in connection with tow ball tested.
 ³ For vehicles with authorised GAWR front of 830 kg to 900 kg and rear of uo to 950 kg (Notchback/Hatchback) respectively 1040 kg (Estate).
 ⁴ Not in connection with level regulation.
- For vehicles with authorised GARW front of 901 kg to 960 kg and rear of up to 950 kg (Notchback/Hatchback) respectively 1040 kg (Estate).
 For vehicles with authorised GARW front of 961 kg to 1055 kg and rear of up to 950 kg (Notchback/Hatchback) respectively 1040 kg (Estate).

Vectra up to model year 99,5.





Rear silencer (up to My. 99,5) i 29 08 041/043, roof spoiler i 29 01 404, light alloy wheels in Twin Spoke design.




Rear silencer (up to My. 99,5) i 29 08 041/043, rear lip spoiler with integrated 3rd brake light (up to My. 99,5) i 29 01 411, side sills (up to My. 99,5) i 29 01 311, light alloy wheels in Twin Spoke design.



Front airdam (up to My. 99,5) i 29 01 001, side sills (up to My. 99,5) i 29 01 311, light alloy whels in im Spectra Line design.



Rear silencer (up to My. 99,5) i 29 08 041/043, rear lip spoiler with integrated 3rd brake light (to My. 99,5) i 29 01 412, side sills (up to My 99,5) i 29 01 311, light alloy wheels in Spectra Line design.



Wheel family

Five differing wheel designs for supreme driving enjoyment and vision in the dimensions 6×15 bis 8×18 .

VAUXHALL i LINE light alloy wheels stand for excellent standards in raw material as well as manufacturing. Tested to comply with the strictest norms via exhaustive safety tests for longevity and reliability under the most extreme of conditions.

Light alloy wheel in Gamma design in the dimensions 6 x 15 and 7 x 15 (only in connection with M+S-tyres).

Light alloy wheel in Spectra Line design in the dimensions 51/2 x 14 to 7 x 16.



Light alloy wheel in Softstar design in the dimensions 6 x 14 to 71/2 x 17.





Light alloy wheel in Twin Spoke design in the dimensions 5½ x 14 to 7½ x 17.



Light alloy wheel in Spectra Sports Line design in the dimension 74x x 17



Central cover for wheel hub i 61 10 217 for Spectra Sports Linelight alloy wheel.

Light alloy wheel in Sport Star design in the dimension



LIGHT ALLOY WHEELS FOR YOUR VECTRA.

Description	Comment	s	Order-No. Wheel kit*	Order-No. Single whee
Softstar design	4-stud.	Silver. 6 x 14 ET 42.	i 99 10 003	i 61 10 425 ¹⁾
Softstar design	4-stud.	Silver. 6 x 15 ET 49.	i 99 10 004	i 61 10 415¹)
Softstar design	4-stud.	Silver. 6 x 16 ET 49.	i 99 10 026	i 61 10 420¹)
Softstar design	4-stud.	Silver. 7 x 16 ET 42.	i 99 10 005	i 61 10 422 ¹⁾
Softstar design	5-stud.	Silver. 6 x 15 ET 43.	i 99 10 079	i 61 10 447¹)
Softstar design	5-stud.	Silver. 6 x 15 ET 49.	i 99 10 006	i 61 10 423¹)
Softstar design	5-stud.	Silver. 6 x 16 ET 44.	i 99 10 078	i 61 10 448¹)
Softstar design	5-stud.	Silver. 6 x 16 ET 49.	i 99 10 075	i 61 10 449¹)
Softstar design	5-stud.	Silver. 7 x 16 ET 39.	i 99 10 061	i 61 10 421 ¹⁾
Softstar design	5-stud.	Silver. 7 ¹ / ₂ x 17 ET 40.	i 99 10 009	i 61 10 424 ¹⁾
Twin Spoke design	4-stud.	Silver. 51/2 x 14 ET 49.	i 99 10 012	i 61 10 432¹)
Twin Spoke design	4-stud.	Silver. 6 x 14 ET 42.	i 99 10 013	i 61 10 426 ¹⁾
Twin Spoke design	4-stud.	Silver. 6 x 15 ET 42.	i 99 10 014	i 61 10 435 ¹⁾
Twin Spoke design	4-stud.	Silver. 6 x 15 ET 49.	i 99 10 015	i 61 10 427¹)
Twin Spoke design	4-stud.	Silver.7 x 15 ET 42.	i 99 10 016	i 61 10 437¹)
Twin Spoke design	4-stud.	Silver. 7 x 16 ET 42.	i 99 10 017	i 61 10 433¹)
Twin Spoke design	4-stud.	Silver. 7 x 16 ET 45.	i 99 10 056	i 61 10 450 ¹⁾
Twin Spoke design	5-stud.	Silver. 7 x 15 ET 42.	i 99 10 019	i 61 10 429¹)
Twin Spoke design	5-stud.	Silver. 7 x 16 ET 39.	i 99 10 020	i 61 10 430¹)
Twin Spoke design	5-stud.	Silver. 7 x 16 ET 45.	i 99 10 055	i 61 10 451 ¹⁾
Twin Spoke design	5-stud.	Silver. 71/2 x 17 ET 40.	i 99 10 022	i 61 10 434 ¹⁾
Spectra Line design	4-stud.	Silver. 5 ¹ / ₂ x 14 ET 49.	i 99 10 039	i 61 10 454 ¹⁾
Spectra Line design	4-stud.	Silver. 6 x 14 ET 42.	i 99 10 040	i 61 10 455 ¹⁾
Spectra Line design	4-stud.	Silver. 6 x 15 ET 49.	i 99 10 041	i 61 10 456 ¹⁾
Spectra Line design	4-stud.	Silver. 7 x 16 ET 45.	i 99 10 051	i 61 10 459 ¹⁾
Spectra Line design	5-stud.	Silver. 6 x 15 ET 49.	i 99 10 042	i 61 10 457¹)
Spectra Line design	5-stud.	Silver. 7 x 16 ET 45.	i 99 10 054	i 61 10 460 ¹⁾
Spectra Sports Line design	5-stud.	Silver. 7 ¹ / ₂ x 17 ET 45.	i 99 10 077	i 61 10 462 ¹⁾
Gamma design	4-stud.	Silver. 6 x 15 ET 49.	i 99 10 088	i 61 10 470¹)
Gamma design	5-stud.	Silver. 6 x 15 ET 43.	i 99 10 092	i 61 10 471¹)
Sport Star design	5-stud.	Silver. 8 x 18 ET 38.	i 99 10 094	i 61 10 492¹)

Accessories		Order-No.
Locking wheel bolts (4 pieces)	Bolts.	i 61 10 118
Covering caps (4 pieces)	Black. For locking wheel bolts i 61 10 118.	i 61 10 122
Covering caps (4 pieces)	Silver. For locking wheel bolts i 61 10 118.	i 61 10 123
Hub cap cover	With VAUXHALL i LINE Logo.	i 61 10 412
Hub cap cover	With Vauxhall Logo.	i 61 10 035
Hub cap cover	With Irmscher Logo.	i 61 10 411
Central cover for wheel hub (4 pieces)	For light alloy wheel in Spectra Sports Line design.	i 61 10 217

^{*} Wheel set consisting of four light alloy wheels including VAUXHALL i LINE hub cap cover.


Please note: Certain wheel/tyre combinations can make body reworking necessary.



VAUXHALL i LINE locking wheel bolts i 61 10 118 for effective protection of high-quality light alloy wheels from theft.



Covering caps (4 pieces) for locking wheel bolts i 61 10 118, silver i 61 10 123 or black i 61 10 122.



¹⁾ Please order hub cap cover i 61 10 412/035/411 separately

That personal touch.



Interior decor in wood look, fitting for that: steering wheel and gear knob wih aluminium insert ring.



Interior decor in wood look (Smokey Bubinga) and gear knob with aluminium insert ring.









Hand brake lever in aluminium look. Alternatively in wood look (Smokey Bubinga) or titanium look available.

Interior decor in aluminium look, fitting for that: steering wheel and gear knob with aluminium insert ring.





Interior decor in carbon look, fitting for that: steering wheel and gear knob with aluminium insert ring.



Gear knob in wood look i 95 17 262/269, in aluminium look i 95 17 317/267, in titanium look i 95 17 314/315 and in carbon look i 95 17 316/266.




Gear lever- and hand brake lever cover made of high-quality leather in grey, in red or in blue.



From the motorsport stable: Aluminium pedals i 95 17 587/588 (set).

Interior decor in titanium look, fitting for that: steering wheel and gear knob with aluminium insert ring.






THE ACCESSORIES FOR YOUR VECTRA.

Comments	Order-No.
Wood look	
In wood look/leather. 4 spokes. Ø 380 mm. For vehicles without integrated radio controls.	i 71 18 081¹
	i 71 18 082 ¹
	i 95 17 321
In wood look. With aluminium insert ring. For vehicles with manual transmission.	i 95 17 261
In wood look (Smokey Bubinga). With aluminium insert ring. For vehicles with manual transmission.	i 95 17 262
In wood look (Smokey Bubinga). With aluminium insert ring. For vehicles with manual transmission.	i 95 17 269
	i 95 17 442
	i 29 17 031 ²
	i 29 17 051 ²
	i 29 17 056 ²
	i 29 17 057 ²
	i 29 17 073 ³⁾
	i 29 17 0743
<u> </u>	i 29 17 074 ³
	i 29 17 035 ⁴⁾
	i 29 17 036 ⁴⁾
	i 29 17 0504
<u> </u>	129 17 059*
	; 71 10 00(1)
<u>_</u>	i 71 18 086 ¹⁾
<u> </u>	i 71 18 0871
<u> </u>	i 95 17 316
	i 95 17 266
	i 29 17 005 ⁵
	i 29 17 006 ⁵⁾
	i 29 17 015 ⁴⁾
	i 29 17 016 ⁴⁾
	i 71 18 047¹)
<u> </u>	i 71 18 047 ⁹
	i 71 18 055¹)
	i 95 17 317
	i 95 17 267
	i 95 17 443
	i 29 17 007 ⁵⁾
	i 29 17 045 ⁴⁾
	i 95 17 487
	i 95 17 488
	171 10 0500
<u> </u>	i 71 18 053¹)
From My. 99,5 In titanium look/leather. 3 spokes. Ø 380 mm. For vehicles with integrated radio controls.	i 71 18 054 ¹⁾
In titanium look. With alu insert ring. For vehicles with manual transmission. Reverse gear top left.	i 95 17 314
In titanium look. With alu insert ring. For vehicles with manual transmission. Reverse gear rear right.	i 95 17 315
In titanium look.	i 95 17 443
In titanium look. For vehicles with electrical windows.	i 29 17 047 ⁴⁾
Leather	
Leather, grey. Consisting of gear knob lever and hand brake lever.	i 29 17 060
Leather, red. Consisting of gear knob lever and hand brake lever.	i 29 17 063
Leather, red. Consisting of gear knob lever and hand brake lever. Leather, blue. Consisting of gear knob lever and hand brake lever.	i 29 17 063 i 29 17 066
Leather, red. Consisting of gear knob lever and hand brake lever. Leather, blue. Consisting of gear knob lever and hand brake lever. Stainless steel	i 29 17 066
Leather, red. Consisting of gear knob lever and hand brake lever. Leather, blue. Consisting of gear knob lever and hand brake lever. Stainless steel 2parts, stainless steel. For front doors.	i 29 17 066 i 29 17 040
Leather, red. Consisting of gear knob lever and hand brake lever. Leather, blue. Consisting of gear knob lever and hand brake lever. Stainless steel 2parts, stainless steel. For front doors. 2parts, stainless steel. For rear doors.	i 29 17 066 i 29 17 040 i 29 17 043
Leather, red. Consisting of gear knob lever and hand brake lever. Leather, blue. Consisting of gear knob lever and hand brake lever. Stainless steel 2parts, stainless steel. For front doors.	i 29 17 066 i 29 17 040
	In wood look/leather. 4 spokes. Ø 380 mm. For vehicles without integrated radio controls. In wood look. With aluminium insert ring. For vehicles with integrated radio controls. In wood look. With aluminium insert ring. For vehicles with manual transmission. Reverse gear top left. In wood look. With aluminium insert ring. For vehicles with manual transmission. Reverse gear rear right. In wood look (Smokey Bubinga). With aluminium insert ring. For vehicles with manual transmission. Reverse gear rear right. In wood look (Smokey Bubinga). With aluminium insert ring. For vehicles with manual transmission. Reverse gear rear right. In wood look. Gmokey Bubinga). In wood look. For vehicles without climate controls. In wood look. For vehicles with climate controls. In wood look. For vehicles with climate controls. In wood look (Smokey Bubinga). For vehicles without climate controls. In wood look (Smokey Bubinga). For vehicles without climate controls. In wood look (Smokey Bubinga). For vehicles without climate controls. In wood look (Smokey Bubinga). For vehicles without climate controls. In wood look. For vehicles with electrical windows. In wood look. For vehicles without electrical windows. In wood look (Smokey Bubinga). For vehicles without electrical windows. In wood look (Smokey Bubinga). For vehicles without electrical windows. In wood look (Smokey Bubinga). For vehicles without electrical windows. In carbon look/Weather. 4 spokes. Ø 380 mm. For vehicles with manual transmission. Reverse gear rear right. In carbon look. With aluminium insert ring. For vehicles with manual transmission. Reverse gear rear right. In carbon look. For vehicles with electrical windows. In carbon look. For vehicles with electrical windows. In carbon look. For vehicles with manual transmission. Reverse gear rear right. In aluminium look. For vehicles with minimit electrical windows. In aluminium look. For vehicles with manual transmission. Reverse gear rear right. In aluminium look. With aluminium insert ring

¹⁾ Only in connection with standard airbag. Airbag is not included in the delivery package.





VAUXHALL i LINE interior door sill covers made of polished stainless steel i 29 17 040/043/053.




VAUXHALL i LINE loading edge trim i 29 17 075.

PERFORMANCE KIT FOR YOUR VECTRA.

Motor		
Description	Comments	Order-No.
Performance kit X20XEV	Up to My. 99,5. Manual transmission. Up to 10 kW/14 PS improved performance.	i 29 06 003
Performance kit X20XEV	Up to My. 99,5. Manual transmission. Up to 10 kW/14 PS improved performance.	i 29 06 008
	For vehicles with existing rear silencer i 29 08 041.	
Performance kit X20XEV	Up to My. 99,5. Manual transmission. Up to 3 kW/4 PS improved performance. For vehicles with secondary air injection. Consisting of exhaust manifold.	i 29 06 028
Performance kit X20XEV	From My. 99,5. Manual transmission. Up to 3 kW/4 PS improved performance. For vehicles without secondary air injection. Consisting of exhaust manifold.	i 29 06 029
Performance kit X25XE	Up to engine No. 08219307. Manual transmission. Up to 18 kW/24 PS improved performance. Motronic unit reprogramming i 29 08 056 necessary ¹⁾²⁾ .	i 29 06 004
Performance kit X25XE	Up to engine No. 08219307. Manual transmission. Up to 18 kW/24 PS improved performance. For vehicles with existing rear silencer i 29 08 041. Motronic unit reprogramming i 29 08 056 necessary ¹⁾²⁾ .	i 29 06 007
Performance kit X25XE	From engine No. 08219308. Manual transmission. Up to 18 kW/24 PS improved performance. Motronic unit reprogramming i 29 08 065 necessary ¹⁾²⁾ .	i 29 06 024
Performance kit X25XE	From engine No. 08219308. Manual transmission. Up to 18 kW/24 PS improved performance. For vehicles with existing rear silencer i 29 08 045. Motronic unit reprogramming i 29 08 065 necessary ¹⁾²⁾ .	i 29 06 025
Motronic unit reprogramming ¹⁾²⁾		i 29 08 056
Motronic unit reprogramming ¹⁾²⁾		i 29 08 065

Original motronic unit must be returned to Remshalden/Germany to allow for reprogramming i 29 08 056/065!
 Please arrange the return of the motronic unit to Remshalden/Germany with your usual Irmscher contact person.







Only in connection with standard alload. Alload is not included in the delivery package.
 Interior decor, 2parts, consisting of middle console panel and drink holder/ashtray unit.
 Interior decor, 2parts, consisting of middle console panel and storage cavity/asthray unit.
 Interior decor, 2parts, consisting of trim for gear surround and hand brake lever surround.
 Interior decor, 1part, consisting of middle console panel.